









# Towards More Homogeneous Paragraphs ∼ DocEng 2025 ∽

Didier Verna EPITA / LRE

didier@lrde.epita.fr









# ⊕ ⊕ Homogeneity (or lack thereof)


In olden times when wishing still helped one, there lived a king whose daughters were all beautiful; and the youngest was so beautiful that the sun itself, which has seen so much, was astonished whenever it shone in her face. Close by the king's castle lay a great dark forest, and under an old lime-tree in the forest was a well, and when the day was very warm, the king's child went out into the forest and sat down by the side of the cool fountain; and when she was bored she took a golden ball, and threw it up on high and caught it; and this ball was her favorite plaything.

- ► T<sub>F</sub>X's rendition
  - Line width: 201pt
  - Font: Latin Modern Roman 10pt
- Interword blanks scaling
  - Primary tool for justification
  - Typographic color quality depends on it
  - Lines inherently homogeneous
  - Paragraph, not!
- Heterogeneity is surprising
  - ► The Knuth-Plass is *not* greedy
  - It is equipped to fight against it

## **⊖ ⊖ ⊖ Fitness Classes and Adjacent Demerits**

- Interword space  $s = w_n$  (normal),  $+w_{st}$  (stretch), or  $-w_{sh}$  (shrink)
- Adjustment ratio  $r \in [-1, +\infty[$ : used amount of stretching (>0) or shrinking (<0)


## Fitness Classes (w.r.t. r)




- ightharpoonup \adjacentdemerits (= 10000)
- Applied when two consecutive lines are more than one fitness class apart

### **● ● ●** The Problem

## Consecutive lines adjustment ratios





\adjacentdemerits are applied only once (lines 1 - 2)

▶ Discrepancies  $(|r_i - r_{i-1}|)$  of less than 100% / 150% are ignored




. Demeri


Re




## **⊕ ⊕ ⊕ Gradual Adjacent Demerits**

- √ Idea (simple!)
- ▶ Be proportional to the discrepancy (instead of discrete)
- ▶ Do not go above the value of \adjacentdemerits
- Rationale:
  - Explore alternative layouts instead of ignoring them
  - Use a continuous measure for a continuous typographical trait
  - Do not disturb the algorithm too much, because it "works well in practice"















# **⊕** ⊕ **⊕** Linear Case Definition(s)

#### In Theory

- $ightharpoonup d_{ij} = \min\left( \langle ad, \langle ad \cdot | r_i r_j | \right)$
- ☐ Incompatible with the KP's optimization

#### In Practice

- $c_i = floor(10r_i + 1/2)$



#### **⊖ ⊖ ⊕** Demo

In olden times when wishing still helped one, there lived a king whose daughters were all beautiful; and the youngest was so beautiful that the sun itself, which has seen so much, was astonished whenever it shone in her face. Close by the king's castle lay a great dark forest, and under an old lime-tree in the forest was a well, and when the day was very warm, the king's child went out into the forest and sat down by the side of the cool fountain; and when she was bored she took a golden ball, and threw it up on high and caught it; and this ball was her favorite plaything.

In olden times when wishing still helped one, there lived a king whose daughters were all beautiful; and the youngest was so beautiful that the sun itself, which has seen so much, was astonished whenever it shone in her face. Close by the king's castle lay a great dark forest, and under an old lime-tree in the forest was a well, and when the day was very warm, the king's child went out into the forest and sat down by the side of the cool fountain; and when she was bored she took a golden ball, and threw it up on high and caught it; and this ball was her favorite plaything.

In olden times when wishing still helped one, there lived a king whose daughters were all beautiful; and the youngest was so beautiful that the sun itself, which has seen so much, was astonished whenever it shone in her face. Close by the king's castle lay a great dark forest, and under an old lime-tree in the forest was a well, and when the day was very warm, the king's child went out into the forest and sat down by the side of the cool fountain; and when she was bored she took a golden ball, and threw it up on high and caught it; and this ball was her favorite plaything.

No gradation

Linear Gradation

Quadratic Gradation





### **6 6 6** Validation

- ▶ Grimm Brothers "Frog King" §1 @  $379 \neq \text{widths}$
- ▶ 1279 § from Moby Dick @ 284pt ( $\approx$  10cm)
- 1658 experiments in total

### **KP Disruption**

All algorithms agree	45%
Quadratic > linear	60%
$Gradual \in KP's \; top \; 10\%$	70%


## Adjacency

KP average $A_{rms}$	0.5
Gradual average $A_{rms}$	0.46
Gradual $A_{rms}$ < KP $A_{rms}$	87%

$$A_{rms} = \sqrt{\frac{\sum_{i=1}^{n-1} (r_i - r_{i+1})^2}{n-1}}$$



Success! But wait...







## **Adjustment Ratios**







Linear Gradation




- $\Re$  Our  $A_{rms}$  are worse!
- ► Further hypotheses (⇒ further analyses, cf. paper)
  - Global trend (linear regression)
  - Oscillation (amplitude, frequency, etc.)


# ⊕ ⊕ Counter Counter-Example (307pt)

In olden times when wishing still helped one, there lived a king whose daughters were all beautiful; and the youngest was so beautiful that the sun itself, which has seen so much, was astonished whenever it shone in her face. Close by the king's castle lay a great dark forest, and under an old lime-tree in the forest was a well, and when the day was very warm, the king's child went out into the forest and sat down by the side of the cool fountain; and when she was bored she took a golden ball, and threw it up on high and caught it; and this ball was her favorite plaything.

In olden times when wishing still helped one, there lived a king whose daughters were all beautiful; and the youngest was so beautiful that the sun itself, which has seen so much, was astonished whenever it shone in her face. Close by the king's castle lay a great dark forest, and under an old lime-tree in the forest was a well, and when the day was very warm, the king's child went out into the forest and sat down by the side of the cool fountain; and when she was bored she took a golden ball, and threw it up on high and caught it; and this ball was her favorite plaything.



No gradation



Linear / Quadratic Gradation

- Better Arms
- $\triangleright$  Linear regression: flatter (slope), better quality ( $R^2$ )
- Oscillation: fewer peaks, lesser amplitude



#### Demerits

#### Refinement





#### **⊕ ⊕ ⊕** Conclusion

- ► Gradual / clamped adjacent demerits
  - Easily done in production engines
  - No change to the user-level API
  - Unimpactful performance-wise
- Remaining questions
  - Pertinence of the "global trend" concept?
  - Correlation(s) between oscillation frequency, amplitude, and linearity?
  - ▶ What is homogeneity (*cf.* cognitive science)?

Impact
<b>/</b>
<b>/</b>
<b>/</b>
( <b>'</b> )
X

#### **Last Minute**

- LuaMetaTEX now has "granular fitness classes"
- Cf. TUGboat, Volume 46 (2025), No. 1, p. 114